CleanCare Dry Vacuum Product Range 2022







CleanCare

CleanCare

CleanCare brings power, performance and reliability to our commercial cleaning product range.







CleanCare Contents

Eco ReFlo Range	5-7
ProLine Contractor Range	8-9
ProVac Range	10-13
Sanitise Pro Range	14-15
NX300 Pro Cordless Network	16-23
Mains RucSac Range	24-25
Steel Top Range	26-27
MicroLine Range	28-29
Aircraft Range	30-31
Dry Big Capacity Vacuums	32-33
CleanCare Dry Accessories	34



Sustainability Eco ReFlo Range

BUILDING on Sustainability

We recognise the need and **demand for** sustainable cleaning solutions, without compromising productivity or quality. ""

Our Sustainability Formula



Efficiency



products are the most efficient for every user; from water and detergent usage to electricity consumption. We also provide online-training for help and support.

Serviceability



Our products are designed to be easily and economically serviced throughout their lifetime. We can provide servicing and replacement parts for every product we have ever made.

Recycling



Right from the initial are manufactured to be easily recyclable at the end of its life.

Disposal



We have worked hard to ensure Zero Waste goes achieved this.

Why ReFlo Technology?

Our ReFlo range is engineered from the highest quality, recycled plastic using our innovative, environmentally sustainable ReFlo Technology.

ReFlo Technology uses post-industrial plastics from the automotive industry, which are diverted from landfill or incineration.





ERP180 ECO Vacuum

Made from up to 75% of the highest quality recycled plastic; equipped with our highest efficiency motor yet.

Delivering the same high-performance, high-quality and long-lasting Numatic results as always...



SUSTAINABLY Engineered

Engineered from the highest quality, recycled plastic using our innovative, environmentally sustainable ReFlo Technology.

ADVANCED Efficiency

Equipped with our most advanced, high-efficiency, high-performance, long-life motor.

30% ENERGY Saving

Professional cleaning while reducing energy usage and cost.

BUILT to Last

Providing the same tough, heavy-duty Numatic construction

HANDY Features

Easy-change plugged cable, on-board tool storage, convenient carry handle and top clip cable tidy.





Model	ERP180
Capacity (L)	8.0
Power Cord (M)	10.0
Motor (W)	420
Suction H ₂ O (MM)	1750
Weight (KG)	6.0
Power (Volts AC/Hz)	230 / 50/60
Cleaning Range (M)	26.0
Kit (see page 34)	AS0
Dimensions Wxl xH (MM)	340x365x360



Comparisons for illustration purposes only



ANNUAL ENERGY USAGE

Using our 420W high-efficiency motor, the ERP180 Eco delivers powerful cleaning while reducing energy usage and cost.







Eco ReFlo Range Eco ReFlo Range

EPR170 ECO Vacuum

A professional, powerful and versatile workhorse packed full of innovative features, for the toughest cleaning.

High-efficiency, powerful and professional cleaning results every time.

SUSTAINABLY Engineered Engineered from the highest quality, recycled plastic using our innovative, environmentally sustainable ReFlo Technology.

ADVANCED Efficiency

high-efficiency, high-performance, long-life motor.

GREAT FEATURES for the Toughest Cleaning Includes tough bumper for wall and door

COMPACT & Convenient

Equipped with a long cleaning reach, on-board tool storage and stores nearly away.

HANDY Cable Replacement

Combi Floor Tool

A unique plugged cable rewind system if damaged during use.






30% **ENERGY SAVINGS**

Numalife

EPR170H ECO HEPA Vacuum

Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency.















Environmentally Sustainable

Sustainably engineered drum and internal components made from the highest quality, recycled plastic using our innovative, environmentally sustainable ReFlo Technology.

Reflo Technology

ReFlo Technology uses high-quality recycled, post-industrial plastics from the automotive industry, which are diverted from landfill or incineration.

Model	EPR170	EPR170 Hepa
Capacity (L)	7.2	7.2
Power Cord (M)	12.5	12.5
Motor (W)	420	420
Suction H ₂ O (MM)	1750	1750
Weight (KG)	8.1	8.3
Power (Volts AC/Hz)	230 / 50/60	230 / 50/60
Cleaning Range (M)	31.0	31.0
Kit (see page 34)	AS0	AS0
Dimensions WxLxH (MM)	360x370x390	

Advanced **HEPA13** Filtration

HEPA13 Filter Cartridge

Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency. Our most advanced filtration in the Numatic commercial vacuum series.



2 TriTex Filter

Traps fine dust within its high-efficiency, triple-layer construction.



Triple-layer HepaFlo Filter Bag

3-layers of high-efficiency filter material and unique self-seal tab, allowing for easy, clean and hygienic emptying.



PSP180/240/370 Compact & Convenient

The ProSave Plugged Range is packed full of great features and provides powerful, professional cleaning technology from a high-efficiency, long-life motor in a choice of 3 sizes.

POWERFUL CleaningPowerful and efficient cleaning technology from a high-efficiency, long-life motor.

COMPACT & Convenient

Packed full of great features, including a convenient carry handle, on-board cable storage, and handy cable replacement.

EASY CLEAN


& Safe Emptying
High-efficiency, triple-layer HepaFlo filter bags.

GREAT FEATURES

for the Toughest Cleaning Includes tough bumper for wall and door protection (PSP240/370) and large rear wheels for ease of transit.


STORES Neatly Away













On-board Tool Storage and Wand Docking

ProVac Range ProVac Range

PPR170 Tough & Professional

The PPR170 delivers the performance you need with advanced features for powerful, efficient and long-life cleaning.

Compact and convenient, while still tough and professional.





On-board Tool Storage and Wand Docking

COMPACT & Convenient

Equipped with a long cleaning reach, on-board tool storage and stores nearly away.

GREAT FEATURES for the Toughest Cleaning

Includes tough bumper for wall and door protection and large rear wheels for ease of transit.

EASY, CLEAN

& Safe Emptying

POWERFUL Cleaning

Powerful, efficient and long-life cleaning technology.

HANDY CABLE Replacement

A unique plugged cable rewind system for quick and easy changing of cable, if damaged





PPR170H HEPA The PPR170 HEPA

combines convenience and versatility with high-efficiency HEPA13 filter cartridge.

Delivering a certified HEPA13 standard of filtration down to 0.3 microns at 99.95% efficiency.











Advanced **HEPA13** Filtration



Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency. Our most advanced filtration in the Numatic commercial vacuum series.


2 TriTex Filter

Traps fine dust within its high-efficiency, triple-layer construction.

3 Triple-layer HepaFlo Filter Bag

3-layers of high-efficiency filter material and unique self-seal tab, allowing for easy, clean and hygienic emptying.

The HEPA13 filter cartridge captures and traps fine particles, such as pollen, dust mites and pathogens, bacteria, reducing the risk of recirculation of these particles back into the environment.



Suction H₂O (MM) 2300 2300 Weight (KG) 8.1 8.3 230 / 50/60 230 / 50/60 Power (Volts AC/Hz) Cleaning Range (M) 31.0 31.0 AS0 AS0 Kit (see page 34) Dimensions WxLxH (MM) 360x370x390 360x370x390

PPR170

7.2

12.5

620

PPR170H

7.2

12.5

620



Model

Capacity (L)

Motor (W)

Power Cord (M)

PPR240/370 The Perfect All-rounder

A professional, tough and versatile workhorse.

The ProVac Plugged Rewind is packed full of innovative features and a smile of course!



MORE CLEANING Productivity

less time unplugging and more time for cleaning.

HUGE Capacity

POWERFUL Cleaning

Powerful, efficient and long-life cleaning technology.

BUILT to Last

Professional, tough and versatile workhorse full of innovative features.

STORES NEATLY Away

always to hand and neatly packed away.



PPT220/390 Trolley Vacuum

eli remidu

PPT220

An innovative trolley style vacuum design providing ease of handling and convenience.

Lift-off storage caddy for all your cleaning essentials.



EASE of Transit

Large real wheels, telescopic pull handle and lift-off storage caddy.

INCREASE Productivity

Keep your cleaning products on-board and

MORE CLEANING Productivity


Long cleaning reach with 12.5m cable, meaning less time unplugging and more time for cleaning.

EASY, CLEAN

& Safe Emptying

HANDY CABLE Replacement


easy changing of cable.





Model	PPT220	PPT390
Capacity (L)	9.0	15.0
Power Cord (M)	12.5	12.5
Motor (W)	620	620
Suction H ₂ O (MM)	2300	2300
Weight (KG)	12.3	12.6
Power (Volts AC/Hz)	230 / 50/60	230 / 50/60
Cleaning Range (M)	31.0	31.0
Kit (see page 34)	AS0	AS0
Dimensions WxLxH (MM)	355x355x615	355x355x655

Long 12.5m Hi-Vis Cable to Keep you Cleaning for Longer



Model

Capacity (L)

Weight (KG)

Power Cord (M) Motor (W)

Suction H₂O (MM)

Power (Volts AC/Hz)

Cleaning Range (M) Kit (see page 34)

On-board Tool Storage and Wand Docking

PPR240

9.0

12.5

620

2300

9.0

230 / 50/60

AS0

Dimensions WxLxH (MM) 360x370x415 360x370x510

PPR370

15.0

12.5

620

2300

9.0

230 / 50/60


31.0

AS0

Sanitise Pro Range Sanitise Pro Range

NSU370 Sanitise Pro

A high-pressure misting disinfection system, the NSU370 and RSU150NX Sanitise Pro range delivers 99.999% efficiency in inactivating



PRECISION Mist

Delivers a quick-drying (under 10mins) droplet, typically 65-75 microns in diameter onto surfaces.

HIGH POWER Pump

Powered by high-performance 15bar / 217psi fluid pump designed and engineered for extended use in commercial

HUGE 5 Litre Capacity

Convenient and secure internal solution tank Easy to fill and out of the way during use.

HIGH PRESSURE Vortex

On entering the lower-pressure ambient air, the high-pressure creates a vortex effect. This reduces particle speed, displaces pathogens and increases coverage across surfaces and touchpoints. High-performance, long-life stainless steel nozzle delivers consistent fine mist.

SAFER Cleaning

Minimise the risk of slips, trips and falls with no cable, making it perfect for day cleaning.



OPTIMUM User Comfort A fully adjustable 5-point harness, providing complete comfort for any user

STAY CLEANING

For Longer

With a 6 hour runtime and 60 minute fast charge, the RSU150NX is always ready to go.

NEW RSU150NX **Sanitise Pro**

With the ability to sanitise large areas,

the Sanitise Pro range provides

a simple solution to many of

today's cleaning challenges.

quick-drying mist and consistent results,

NX300 Network

With just one simple battery network, cleaning and swapping batteries between machines has never been easier.

HIGH PRESSURE Vortex

On entering the lower-pressure ambient air, the high-pressure creates a vortex effect. This reduces particle speed, displaces pathogens and increases coverage across surfaces and touchpoints. High-performance, long-life stainless steel nozzle delivers consistent fine mist.

EASY Refill



Removable tank for easy refill holds up to 5L of solution, delivering productivity of 1200m2/hr.



Whilst we recommend using TECcare® Control, the Sanitise Pro System is fully compatible with disinfectant solutions based on Quaternary Ammonium Salts or Hypochlorous Acid using appropriate dilution levels. Use of other chemical / disinfectant solutions may invalidate warranty.*


*99.999% effective in inactivating and destroying pathogens when using complete Sanitise Pro System. System comprises NSU370 / RSU150NX Mist Unit applying TECcare® Control Disinfectant Solution.


Numatio

Please note: Do not spray electrical items such as computers, monitors or electrical sockets at close distances.

Model	NSU370
Capacity (L)	5.0
Power Cord (M)	10.0
Motor (W)	45
Flow (ML/MIN)	150
Droplet Size (MICRONS)	65-75
Cleaning Range (M)	12.0
Weight (KG)	7.2
Hose Length (M)	2.2
Spray Distance Optimum (CM)	100
Max Pump Pressure (BAR/PSI)	15 / 217
Dimensions WxLxH (MM)	360x370x510







Adjustable Cushioned Shoulder Straps Supportive Chest Strap Adjustable Cushioned

RSU150NX Capacity (L) 5.0 Weight (KG) 13.0 Motor (W) 45 Flow (ML/MIN) 140 Droplet Size (MICRONS) 60-70 Hose Length (M) 1.5 Tank Empty (MINS) 31 Battery Life (HRS) Spray Distance Optimum / Max (CM) 100 / 200 Max Pump Pressure (BAR/PSI) 15 / 217

mumatic.com

Dimensions WxLxH (MM)

Easy Refill Tank

numatic.com/NX300

NEW TTB3045NX

The **Next Generation** of Battery Technology

NX300 Pro Cordless Network delivers professional level performance to a versatile and expanding range. Quicker, safer and more convenient, switching to Pro Cordless raises productivity levels, saving time and money.

Smart Safe Charge System

Built-in battery status and health check safety system. The SoH (State of Health) system monitors multiple parameters ensuring battery safety.

Maximum Energy Deployment

Delivering power from cell to machine with minimum power loss via high-quality welded nickel power rails.

Integrated Heatsink Casing

Quickly and efficiently cools the pack in use, optimising delivery of power.

Integrated Cooling Design

Keeping cool allows maximum power delivery, the clever NX300 pack design eliminates air pockets acting as an insulation transmitting heat directly out of the pack.

Integrated Handle

Quickly and easily hot swap batteries across the Pro Cordless Network.

Enchanced **ENERGY STORAGE**

Research and development in cell chemistry and a newly developed x30 cell design delivers a 60% increase in available energy. The NX300 battery truly delivers on power with 300Wh of energy.

ONE FITS ALL Productivity

The convenience, safety and power of Pro Cordless, with reduced costs and lower maintenance from a single battery and charger system.

RUNTIME

Each product in the Pro Cordless Network is engineered to optimise the NX300 battery energy storage, providing the right balance of runtime and power for each cleaning task.

1 HOUR Fast Charge

Recharged to 80% in an hour* and ready to go for every product in the NX300 Pro Cordless Network.

COST Effective

Made for the long haul, the NX300 battery won't let you down, engineered and tested for commercial use delivering up to 2500 charge cycles.

* Higher ambient temperatures may increase charge time.



Model	Weight (KG)	Battery Capacity (Wh)	Charge Time (HR)	Lifecycle
NX300	2.0	300	1 - 80% / 2 - 100%	Up to 2500

Power the Entire Fleet with **NX300 Pro Cordless Network**

RSB150NX

More Time to Clean

PBT230NX Page 18

NBV190NX

NBV240NX

Switching from corded to cordless reduces overall cleaning time every day, maximising productivity with no need to keep plugging and unplugging.

No Testing Required

No need for high-cost PAT testing on multiple corded machines when switched over to cordless.



TTB1840NX

No Cable Trips

Safe and unobtrusive cleaning with no cable. making it the ideal solution to minimise the risk of slips, trips and falls.



Minimising distractions and interruptions with lower noise levels compared to corded machines.



Lower Energy Cost

High-efficiency cleaning delivers extended runtime, expanding commercial operation and applications with lower annual energy usage.



All Hours Cleaning

Combining total cordless freedom, powerful and professional cleaning results. Perfect for day cleaning and safe operation in public areas with hiah footfall.





NBV190NX/240NX, PBT230NX Cordless Convenience

Cordless cleaning with total freedom of operation and convenience with our cordless range, equipped with our new NX300 36V Battery Technology and 350W digital brushless motor.

Perfect for day cleaning and safe operation in public areas, increasing productivity and cleaning standards for all.



CLEAN for Longer New NX300 36V Battery Technology delivers 80mins of consistent powerful cleaning.

PERFORMANCE You Can Trust

Our most powerful cordless motor yet, delivering a 40% increase in airflow and suction.

MAXIMUM Productivity

Combining total cordless freedom, powerful and professional cleaning results.

NX300 Network

With just one simple battery network, cleaning and swapping batteries between machines has never

SAFER Cleaning
Minimise the risk of slips, trips and falls with no cable, making it perfect for day cleaning.



Increased

Productivity

in just 1 hour,

Recharge to 80%

providing continuous

non-stop cleaning.

NX300 Pro Cordless Network

The NX300 battery packs can be used across the growing Pro Cordless Network.



Model	NBV190NX	NBV240NX	PBT230NX
Capacity (L)	8.0	9.0	9.0
Power (Lithium Bat. V)	36	36	36
Motor (W)	350	350	350
Suction H ₂ O (MM)	1896	1896	1896
Runtime (MIN)	Hi 50 / Lo 80		
Charge Time (HR)	80% - 1 / 100% - 2		
Weight (KG)	7.7	8.1	10.5
Kit (see page 34)	AA29E	AA29E	AA29E
Dimensions WxLxH (MM)	340x340x340	340x340x415	400x450x615

Market-Leading Runtime

Easy-reach carry handle

and quick-release button

for fuss-free battery

change and charging.

Ease of Use

Market-leading 80 minutes of consistent, powerful cleaning, giving you more time to get the job done.

Model	NBV190NX	NBV240NX	PBT230NX
Capacity (L)	8.0	9.0	9.0
Power (Lithium Bat. V)	36	36	36
Motor (W)	350	350	350
Suction H ₂ O (MM)	1896	1896	1896
Runtime (MIN)	Hi 50 / Lo 80		
Charge Time (HR)	80% - 1 / 100% - 2		2
Weight (KG)	7.7	8.1	10.5
Kit (see page 34)	AA29E	AA29E	AA29E
Dimensions WxLxH (MM)	340x340x340	340x340x415	400x450x615






Numatte



Off-board Charging Station

RSB150NX Cordless RucSac

Delivering up to 80 minutes of cordless freedom, a 40% increase in airflow and suction, and maximum user comfort.









MAXIMUM Productivity

comfort and professional cleaning results.

CLEAN for LongerNew NX300 36V Battery Technology delivers 80mins of consistent powerful cleaning.

PERFORMANCE You Can Trust

Our most powerful cordless motor yet, delivering a 40% increase in airflow and suction.

NX300 Network

With just one simple battery network, cleaning and swapping batteries between machines has never been easier.

HARD TO REACH

Becomes Easy to Clean

Freedom to clean without limitation; lightweight,



Off-board Charging Station

Model	RSB150NX	
Capacity (L)	5.0	
Power (Lithium Bat. V)	36	
Motor (W)	350	
Suction H ₂ O (MM)	1896	
Runtime (MIN)	Hi 50 / Lo 80	
Charge Time (HR)	80% = 1 / 100% = 2	
Weight (KG)	8.2	
Kit (see page 34)	AA30E	
Dimensions WxLxH (MM)	330x330x570	













RSB150NX HEPA Cordless RucSac

Combining total cordless freedom with our most advanced, certified **HEPA13** filtration.

Providing high-efficiency filtration down to 0.3 microns at 99.95% efficiency, while still providing optimum cleaning productivity with powerful and professional cleaning results.



RSB150NXH



Certified HEPA13 Filtration

Off-board Charging Station

MAXIMUM Productivity

CLEAN for Longer New NX300 36V Battery Technology delivers 80mins of consistent powerful cleaning.

PERFORMANCE You Can Trust

Our most powerful cordless motor yet, delivering a 40% increase in airflow and suction.

NX300 Network

With just one simple battery network, cleaning and swapping batteries between machines has never been easier.

ADVANCED Filtration

0.3 microns at 99.95% efficiency. (RSB150NXH model only).

Model	RSB150NXH
Capacity (L)	5.0
Power (Lithium Bat. V)	36
Motor (W)	350
Suction H ₂ O (MM)	1896
Runtime (MIN)	Hi 50 / Lo 80
Charge Time (HRS)	80% = 1 / 100% = 2
Weight (KG)	8.6
Kit (see page 34)	AA30E
Dimensions WxLxH (MM)	330x330x570









Advanced **HEPA13** Filtration

1 Triple-layer HepaFlo Filter Bag

Advanced, 3-stage filtration system cleans and traps fine dust, including allergy triggers and pathogens, eliminating the risk of recirculation and exposure.

2 TriTex Filter

Traps fine dust within its high-efficiency, triple-layer membrane.

3 HEPA13 Filter Cartridge

Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency. Our most advanced filtration in the Numatic commercial vacuum series.

The Pro Harness offers enhanced operator comfort, increasing cleaning efficiency, capability and productivity, without any uncomfortable distractions.









Mains RucSac Range Mains RucSac Range

RSV150 Mains RucSac



Compact, comfortable and convenient, the **RSV150** goes wherever you go, making it the perfect cleaning solution for tight and awkward cleaning.

Providing an extra-long 15m cable and generous 5L dust capacity, there's less stopping to unplug and empty and more time to get the job done.

INCREASED Productivity Lightweight and compact design providing powerful

HARD TO REACH

Becomes Easy to Clean

OPTIMUM User Comfort

Convenience and safety with ergonomically designed

CLEAN for Longer

With a huge cleaning range and extra-long high-visibility

LESS LEANING More Cleaning

Less stretching, bending down and twisting with the comfort harness, integrated waistbelt and instant on/off operation with simple integrated hand control.

Model RSV150 RSV150H Capacity (L) 5.0 Power Cord (M) 15.0 Motor (W) 620 620 Suction H₂O (MM) 2300 2300 Power (Volts AC/Hz) 230 / 50/60 230 / 50/60 Cleaning Range (M) 32 4 32 4 7.4 7.8 Weight (KG) AA30E Kit (see page 34) AA30E Dimensions WxLxH (MM) 330x330x380 330x330x380



Perfect Working Position









NQS250/NQS250B All Steel Series

Incorporating an all-steel power head, long-life professional TwinFlo high-performance motor and patented MicroTec noise reduction system.

Built to last with the heavy-duty, all-steel construction to endure years of industrial use.



ALL-STEEL

BUILT to Last

POWERFUL & Efficient Patented MicroTec noise reduction

and TwinFlo motor.

IMPROVE Filtration & Cleanliness

High-efficiency, triple-layer TriTex filtration system, ensuring what goes in, stays in.

HANDY CABLE Replacement

NuCable system for quick and easy changing of cable.

OPTIONAL Blower

(NQS250B only)

NVQ240/370/380 **Steel Tops**

Featuring an all-steel head, the NVQ range not only provides exceptional strength, it's also



The NVQ power head incorporates our MicroTec noise reduction system and a TwinFlo high-performance motor with handy NuCable system for quick and simple cable replacement.



NQS250







Model	NVQ240	NVQ370	NVQ380
Capacity (L)	9.0	15.0	15.0
Power Cord (M)	10.0	10.0	10.0
Motor (W)	780	780	780
Suction H ₂ O (MM)	2350	2350	2350
Weight (KG)	9.65	10.0	11.35
Power (Volts AC/Hz)	230 / 50/60	230 / 50/60	230 / 50/60
Cleaning Range (M)	26.0	26.0	26.0
Kit (see page 34)	AS0	AS0	AS0
Dimensions WxLxH (MM)	360x370x415	355x355x485	355x355x485

NVQ380

PPH320 Advanced HEPA Filtration

Advanced features provide exceptional filtration.

With HEPA13 MicroFilter achieving 99.95% standard, down to 0.3 micron particle size.

ADVANCED Filtration

POWERFUL Cleaning

MORE CLEANING Productivity

EASY, CLEAN & HYGIENIC Emptying

Engineered to clean, trap and retain fine dust during both vacuuming and emptying.

A TOOL FOR Every Job



HEPA Filter

TriTex Filter

HepaFlo Filter Bags

Model	PPH320
Capacity (L)	12.0
Power Cord (M)	12.5
Motor (W)	620
Suction H ₂ O (MM)	2300
Weight (KG)	10.0
Power (Volts AC/Hz)	230 / 50/60
Cleaning Range (M)	29.6
Most Penetrating Particles Ref EN1822	99.950%
Kit (see page 34)	AS0
Dimensions WxLxH (MM)	335x355x465





Advanced filtration down to 0.3 microns at 99.95% efficiency

Filtration

Numatte

CRQ370 Cleanroom Filtration

Compact design providing professional specification and high-filtration.

With HEPA13 MicroFilter and all-steel motor power head construction.

ADVANCED Filtration

BUILT to Last

MORE CLEANING Productivity

EASY, CLEAN & SAFE Emptying High-efficiency, triple-layer HepaFlo filter bags.

A TOOL FOR Every Job

Professional and versatile A1 accessory kit with Stainless Steel tube set. (See page 32)



Model	CRQ370	
Capacity (L)	10.0	
Power Cord (M)	10.0	
Motor (W)	960	
Suction H ₂ O (MM)	2300	
Weight (KG)	11.5	
Power (Volts AC/Hz)	230 / 50/60	
Cleaning Range (M)	26.0	
Most Penetrating Particles Ref EN1822	99.950%	
Kit (see page 34)	A1	
Dimensions WxLxH (MM)	355x355x485	







Mine To

RSAV130 Aircraft RucSac

Designed to clean aircraft and clean them well.

The RSAV130 is built to last with tough construction and an exacting 400Hz standard of operation, suitable for most aircraft power supply systems.

INCREASE Productivity
Compact design providing powerful cleaning results.

HARD TO REACH

Aircraft Range

Becomes Easy to Clean
Freedom to clean without limitation...an absolute must for cleaning in confined spaces.

OPTIMUM USER Comfort

LESS LEANING More Cleaning

Less stretching, bending down and twisting with the comfort harness, integrated waistbelt and instant on/off operation with simple integrated hand control.

EASY, CLEAN & SAFE Emptying High-efficiency, triple-layer HepaFlo filter bags.







Adjustable Cushioned Waist Strap







Model	RSAV130	
Capacity (L)	6.0	
Power Cord (M)	18.2	
Motor (W)	960	
Suction H ₂ O (MM)	2400	
Weight (KG)	7.37	
Power (Volts AC/Hz)	110 / 400	
Cleaning Range (M)	43.2	
Kit (see page 34)	AA30E	
Dimensions WxLxH (MM)	250x360x440	

Reduce Strain

Perfect Fit

Cool and Comfortable

Lower-back Support

Handy Tool Storage

AVQ250/380 Aircraft Vacs

The AVQ is built to last with tough construction and an exacting 400Hz standard of operation.

BUILT to Last

provides exceptional strength.

POWERFUL & Efficient

Patented MicroTec noise reduction system and TwinFlo motor.

EASY, CLEAN & SAFE Emptying

IMPROVES FILTRATION

Cleanliness & Capacity
TriTex filter system provides enhanced filtration.

HANDY CABLE Replacement

NuCable system for quick and easy changing of cable.



Model	AVQ250	AVQ380
Capacity (L)	9.0	15.0
Power Cord (M)	18.2	18.2
Motor (W)	960	960
Suction H ₂ O (MM)	2500	2500
Weight (KG)	10.62	11.82
Power (Volts AC/Hz)	110 / 400	110 / 400
Cleaning Range (M)	42.8	42.8
Kit (see page 34)	AS4	AS4
Dimensions WxLxH (MM)	340x340x395	355x355x485





NVQ570/NVDQ570 Industrial Power

Power and performance in industrial terms needs to be matched to long-life, reliability and user satisfaction.

The NVQs are ideal for numerous trades where they must frequently be moved from place to place while still requiring a large and generous working capacity.



AirFlo filtration directs movement of air to enhance cleaning performance

HANDY Cable Replacement

Fitted with fully directional front castors and large rear wheels (900 model






Cellular structure

Structofoam ✓ Incredibly tough and long-lasting

- ✓ Hard-wearing and chemical-resistant
- ✓ Exceptional strength-to-weight ratio
- ✓ Lightweight and ergonomic structure



Model NVQ570 NVDQ570 NVQ900 NVDQ900 Capacity (L) 23.0 23.0 40.0 40.0 10.0 10.0 10.0 10.0 Power Cord (M) Motor (W) 960 960x2 960 960x2 Suction H O (MM) 2300 2300 2300 2300 Weight (KG) 16.5 18.7 25.2 27.7 230 / 50/60 230 / 50/60 Power (Volts AC/Hz) 230 / 50/60 230 / 50/60 Cleaning Range (M) 26.8 26.8 26.8 26.8 Kit (see page 34) BA2 BA2 BA2 BA2 Dimensions WxLxH (MM) 415x415x645 415x415x645 490x800x880 490x800x880

NVQ900/NVDQ900 Industrial Power

THE THE

Large Handle

Complete freedom and ease of movement during transit.

Lift-off the head with ease when replacing dust bags and filters.

TwinFlo Motors

Equipped with our TwinFlo 2-stage industrial motor providing unrivalled performance standards

2-Stage Filter

The 2-stage filter system allows for better filtration and capturing finer particles.

AirFlo Design

Efficiently directs movement of air through the vacuum increasing performance by more than 30% throughout the operating range.

Tough Structofoam

Power cables can be

changed without the need

for an electrical engineer.

Heavy-duty Structofoam construction used in both head and body for superb strength and impact resistance.

Large Rear Wheels

The large rear wheels provide excellent mobility over the toughest of surfaces.

Front Castors Excellent mobility with fully

directional front castors.



NVQ900 / NVDQ900





Accessory Kits Notes

Dry Kits








Specialised Kits











Head Office Numatic International Limited Chard, Somerset TA20 2GB UNITED KINGDOM

Tel: 01460 68600 numatic.com

Numatic International S.A.S 13/17 rue du Valengelier EAE la Tuilerie, 77500 Chelles FRANCE

Tel: 01 64 72 61 61 numatic.fr

Numatic International Schweiz AG. Sihlbruggstrasse 3A 6340 Baar SCHWEIZ

Tel: 041 768 07 60 numatic.ch

Numatic International SLU La Forja, 41, 08840 Viladecans, Barcelona SPAIN

Tel: 34 936 472 222 numatic.es

Numatic International (Pty.) Ltd. 16th & Pharmaceutical Roads Midrand, Gauteng, S.A. 1685 SOUTH AFRICA

Tel: 0861 686 284 numatic.co.za

Numatic International ULDA Rua da Boa Viagem, 177 4470 - 210 Moreira Maia PORTUGAL

Numatic International Italy SRL Via Luigi Galvani, 2 Z.I. Talponedo 33080 Porcia (PN) ITALY

Tel: (39) 0434 046211 Web: numatic.it

Tel: 05 11 98 42 16 0 numatic.de

Tel: 0172 467 999 numatic.nl



